

(2009)

ICD-10: C75.1/D09.302/D35.2

/D44.3

/

ICD-9-CM-3

07.61/07.62/07.63

-

-

1.

Cushing

2.

1

2 1

MRI T1 T2

3

CT

3.

-

-

1. /

2.

3.

10-14

1. ICD-10: C75.1/D09.302/D35.2/D44.3

2.

2-4

1.

1

2

T3 T4 TSH fT3 fT4

8am

5pm 12pm

3

X

X

2.

24

/17-

1.

2004

285

2.

30

3

3.

5mg tid 3

3-5

1.

2.

/

3.

1

2

4.

5.

6.

7-10

1.

MRI

2.

1.

2.

3.

1-2

1-1.5

4.

/

1.

1

2 Cushioning

3

2.

3.

4.

1

2

5.

6.

ICD-10: C75.1/D09.302/ D35.2/D44.3

ICD-9-CM-3:07.61/07.62/07.63

/

10-14

	1	2-3	3-5
		<p>3 5mg tid</p>	
	<p>/ /</p> <p>+ +</p> <p>T4 TSH fT3 fT4 T3 12pm 8am 5pm 24 /17-</p> <p>CT(X)</p> <p>1 T1,T2</p>	<p>/ /</p> <p>5mg tid 3</p> <p>tid 3</p> <p>/ /</p>	<p>1-3 /</p> <p>24</p> <p>iv Q12h / 100mg 5-10mg iv Q12h()</p> <p>0.5 100mg</p> <p>CT</p>
	<p>1. 2.</p>	<p>1. 2.</p>	<p>1. 2.</p>

	5-7 1-2	6-13 3-9	10-14
	MRI	7-10 7	"
	Q12h 100mg iv Q12h/ 5-10mg iv 3 / 24h (Cushing)	5mg tid 7-10 5	1
	1. 2.	1. 2.	1. 2.