

2018

1.

[1]

[2]

1

2

3

2.

3200

[3]

[4] 2016

[5]

1

2

MUP

[1]

[2]

1.

2.

3.

4.

5.

1.

1

2

3

4

40 min

2 3 10
30

2.

1

2

3

3.

1

2

3

4.

1

2

3

5.

1

2

3

1.

3

20

2.

[5]

1.

2.

3.

1.

[6]

$$n = \left[\frac{15\% - 40\%}{40\% - 15\%} \right] 100\%$$

2.

ADH [7]

$$n = \left[\frac{15\% - 40\%}{40\% - 15\%} \right] 100\%$$

1.

1

NSAA-				
	2	1	0	
1.	3	3		
2.			KAFOs	
3.	90			
4. -	3			
5. -	3			
6. -				
7. -				
8. -				
9. -				
10.	-			
11.	Gowers	2		
12.				

13.				
	3			
14.				
15.	-			
16.	-			
17.	10m			
=	/34			

- [3] . 3200 [M]. . 1996 691-692.
- [4] . . [M]. . 2007, 214-281.
- [5] . . [J].
2016, 49 1 17-20.
- [6] . Duchenne
[J]. 2017 12(4), 246-250.
- [7] . [M]. . 1986
- 134.