

2018

2013

- 1.
- 2.
- 3.

- 4.
- 5.

-

2016

- 1.
- 2.
- 3.
- 4.

1.

2.

3.

4.

1.

| | |
|---|---|
| 1 | 1 |
| 2 | 2 |
| 3 | 3 |

1 20 30mi n

1 3

2.

| | | |
|---|---|---|
| | 1 | 2 |
| 2 | 1 | |

3.

2ml ,

2013

1.

2h

| | | | | | | |
|---|--------|-------|----|-----|---|---|
| 1 | 0.2mL | 1 | 2h | 1 | 2 | 3 |
| | 0.3 | 0.6mg | 2 | 3 | | |
| 2 | 12.5mg | | | 1mg | | |

3

4 95% 5%

2.

1.

2.

1

2

3

4

ZY/T001.5-94

6

1.0

-

2

-

2

1.

2.

/30cm

/10cm

/30cm

/10cm

0.1

0.04

1

1

3.

3

2

1

| | | | | | | |
|--|--|--|--|--|--|---|
| | | | | | | |
| | | | | | | 0 |

| | | |
|--|--|---|
| | | 2 |
| | | 4 |
| | | 0 |
| | | 2 |
| | | 4 |
| | | 0 |
| | | 1 |
| | | 2 |
| | | 3 |
| | | 0 |
| | | 1 |
| | | 2 |
| | | 3 |
| | | 0 |
| | | 1 |
| | | 2 |
| | | 3 |
| | | 0 |
| | | 1 |
| | | 2 |
| | | 3 |
| | | 0 |
| | | 1 |
| | | 2 |
| | | 3 |
| | | 0 |
| | | 1 |
| | | 2 |
| | | 3 |

1.

1

95

70

30

30

[

] 100%

2.

1

- 1.
- 2.