

2018

1.

1

2

3

2.

2000 9

, 2012

	HBc	HBV e	HBV HBeAg	HBsAg
HBVDNA				
1				
2		TBI I	51μ mol /L	171μ mol /L
17μ mol /L				
3			PTA 40%~50%	
INR 1.5~1.6				

1.

1

2

2.

1.

30g 6g 10g 10g 15g 10g 10g

10cm

20 30cm 36.5 37.5 1000mL
37 40 200ml
1 1

7 1

2.

15g 10g 30g 10g 10g 15g 15g
1

37 40

120ml

10cm

30cm

30mi n

30mi n

1h

20 30cm

80 100 /

30mi n

1

3.

1 30min 15 1

2012

1.

2.

3.

2002

1.

70

2.

30

3.

30

()

=[(

)

]100

2012

1.

(4 12 24 48)

/

100%

2.

TBi L

70

PTA 50%

TBi L

70%

30

PTA

40%

TBi L

30

PTA 40

0	2	4	6
0	1	2	3
	1 /	1 4 /	4 /
	1 3 /	3 4 /	4 /
	1 /	1 4 /	4 /
	1 /	1 4 /	4 /
	1 /	1 4 /	4 /
Ç ^M	37 38	38 39	39

[1] [J]. ,2001(01):55-61.

[2] . (2012)[J]. ,2013,16(03):210-216.

